Copy No 4:

JOINT PHOTOGRAPHIC INTELLIGENCE BRIEF ARMY-NAVY-CIA

(Published and Disseminated by CIA/PIC)

SUBJECT : Surface-to-Air Missile

NO PIC/JB-32/60

Support Facility

DATE: 23 March 1960

LOCATION: 5 nm NE of Zhigulevsk Dam,

Volga River, USSR COORD: 53°31 N 49°33'E





Figure 1. SAM SUPPORT FACILITY 5 NM NE OF ZHIGULEVSK DAM,

Declass Review by NGA / DoD

Approved For Release 2005/12/25 : CIA-RDP78T04751A000300050033-2



TOP SEGRET

Approved For Release 2005/12/25 : CIA-RDP78T04751A000300050033-2

TOP SEGRET

PIC/JB-32/60

25X1D

Approved For Release 2005/12/25 : CIA-RDP78T04751A000300050033-2

PIC/JB-32/60

REFERENCE POINT: ZHIGULEVSK DAM, V 49°29'00"E.	OLGA RIVER,	BE No	53 ⁰ 27'00"N - 25X1
LOCATION: 5 nm northeast of refe	rence point.		
FUNCTION This support facility s Zhigulevsk Dam.	erves SAM site	es deployed for t	he defense of
FACILITY STATUS: Complete and operation	onal.		
MISSILES: 24 probable GUIDELII	NE type missile	s, canvas cover	ed.
VEHICLES AND EQUIPME 18 Tractors and 24 mm 6 Mobile missile laux 3 Prime movers. 9 Van-type trailers. 4 YAZ-210 trucks wide 2 Probable K-104 he 15 Miscellaneous truck 4 Packing crates 4 Packing crates	issile trailers. nchers, canvas th large cargo avy cranes.		
COMMUNICATIONS: None visible.			
OVERHEAD POWER and/Overhead wire line le		ATION LINE:	
STRUCTURES:			
Description	Roof Type	No Stories	Dimensions (feet)
Drive-through checkout/ maintenance bldg. Base	Gable	2	180 x 80

25X1D

-3-

TOP SECRET | Approved For Release 2005/12/25 : CIA-RPP78T04751A000300050033-2

PIC/JB-32/60

Wing	Shed	2	80×30
Drive-through checkout	Gable	1	70×35
bldg.			
Drive-through checkout	Gable	1	70×30
bldg.			
Drive-through checkout	Gable	1	55×30
bldg.			•
Revetted storage bldg.	Gable	1	100×30
Revetted storage bldg.	Gable	1	40×35
Revetted storage bldg.	Gable	1	25×25
Possible barracks	Gable	1	55×35
Shed	Shed	1	45×40
Guardhouse	Complex	1	40×35
Support bldg.	Gable	1	25×20

Other features include:

2 Horizontal tanks, revetted,	each	in	25X1D
diameter.		1	

1 Earthen bunker, feet.

1 Earthen bunker, feet.

SECURITY:

Board fence 1600 x 650 feet encloses facility.

Six guard towers.

Possible peripheral light poles.

REMARKS:

This facility is situated on gently rolling terrain near the edge of a forested area.

MAP REFERENCES:

WAC 165; AMS-Series N 501, Sheet NN 39-7.

25X1D

PHO	ΌΤΟ ΠΑΤΔ.			

25X1D